

第11回月刊JPCOAR「オープンアクセス新任担当者相談会」実務紹介(1)

学術コミュニケーションの 基礎知識

2022年 JPCOAR イベント運営作業部会

本講の内容

- ①学術雑誌とはどのようなものか
- ②論文とはどのようなものか
- ③オープンアクセスとはどういうことか

①学術雑誌とはどのようなものか

科学的発見／知見

それを生み出したのが私だと世界に認知してほしい

その科学的真価を認めてほしい

世に広まってほしい

後世にも伝えたい

“Smaismrmilmepoetalevmibunenugttaviras”



altissimum planetam tergeminum observari.

①学術雑誌とはどのようなものか

“学術雑誌の4機能”

それを生み出したのが私だと世界に認知してほしい

論文の先取権の確立

査読による質の保証

その科学的真価を認めてほしい

世に広まってほしい

知見を世に知らせる

知見を後世に伝える

後世にも伝えたい

ヘンリー・オルデンバーグ氏の書簡（1664～1665）より。同氏は、世界最古の学術雑誌と言われるイギリス王立協会「フィロソフィカル・トランザクション」（1665～）創刊時の事務総長

①学術雑誌とはどのようなものか

一般的な出版物

- 著者・作者は原稿料や印税などを受け取り、収入とする

学術雑誌

むしろ著者がお金（例えば20万円とか）を払うケースもある。

- 著者は対価を得ない

- 研究論文執筆・公開の目的は金銭でなく、著作が広く行き渡り、科学の発展に寄与すること
- 収入は所属機関の給与など。学術的名声を得て、ポストを獲得することが間接的に収入に寄与

①学術雑誌とはどのようなものか

THE ROYAL SOCIETY
PUBLISHING

All Journals ▼

Brought to you by Kyoto University, Faculty of Integrated Human Studies



Sign in



Search 🔍

Home Content ▼ Information for ▼ About us ▼ Sign up ▼ Submit

PROCEEDINGS OF THE ROYAL SOCIETY A

MATHEMATICAL, PHYSICAL AND ENGINEERING SCIENCES

The Royal Society's physical sciences research journal, publishing high-quality research and review articles from all disciplines in the physical sciences



Current issue

Editor-In-Chief

Professor Michael Lockwood FRS

Frequency: Monthly

ISSN (Online): 1471-2946

ISSN (Print): 1364-5021

Latest articles

②論文とはどのようなものか

Nawata S, Maki A, Hikihara T. (2018)
Power packet transferability via symbol propagation matrix.
Proc. R. Soc. A 474: 20170552. <http://dx.doi.org/10.1098/rspa.2017.0552>

PROCEEDINGS A

rspa.royalsocietypublishing.org

Research

Cite this article: Nawata S, Maki A, Hikihara T. 2018 Power packet transferability via symbol propagation matrix. *Proc. R. Soc. A* 474: 20170552. <http://dx.doi.org/10.1098/rspa.2017.0552>

Received: 21 August 2017
Accepted: 17 April 2018

Subject Areas:
electrical engineering, applied mathematics, systems theory

Keywords:
power packet, router, network flow problem, electrical energy network

Author for correspondence:
Shinya Nawata
e-mail: nawata@dove.kyoto-u.ac.jp

THE ROYAL SOCIETY
PUBLISHING

Power packet transferability via symbol propagation matrix

Shinya Nawata¹, Atsuto Maki² and Takashi Hikihara¹

¹Department of Electrical Engineering, Kyoto University, Katata, Nishikyo, Kyoto 615-8510, Japan
²School of Electrical Engineering and Computer Science, Royal Institute of Technology (KTH), Teknikringen 14, 100 44 Stockholm, Sweden

SN, 0000-0003-0421-4579

A power packet is a unit of electric power composed of a power pulse and an information tag. In Shannon's information theory, messages are represented by symbol sequences in a digitized manner. Referring to this formulation, we define symbols in power packetization as a minimum unit of power transferred by a tagged pulse. Here, power is digitized and quantized. In this paper, we consider packetized power in networks for a finite duration, giving symbols and their energies to the networks. A network structure is defined using a graph whose nodes represent routers, sources and destinations. First, we introduce the concept of a symbol propagation matrix (SPM) in which symbols are transferred as links during unit times. Packetized power is described as a network flow in a spatio-temporal structure. Then, we study the problem of selecting an SPM in terms of transferability, that is, the possibility to represent given energies at sources and destinations during the finite duration. To select an SPM, we consider a network flow problem of packetized power. The problem is formulated as an M-convex submodular flow problem which is a solvable generalization of the minimum cost flow problem. Finally, through examples, we verify that this formulation provides reasonable packetized power.

1. Introduction

Electric power has been considered as a continuous flow based on circuit theory, in which power flow is governed by Kirchhoff's Laws and Tellegen's theorem [1]. The circuit theory can be generalized to represent various nonlinear complex systems in the system topology with energy dissipation and energy storage as a network

destination

the power at each line by using the units to identify the different kinds of packets between routers [10,14,15]. transfer. In Shannon's information digitized manner [3]. Referring to this minimum unit of power transferred symbol is a minimum unit of power, transferred during a unit time in the determined as a real number.^{1,2} f messages and energy with symbol of messages is treated as a coding the length of codewords. In power energy during a finite duration representation is a problem unique to ed with a set of symbol sequences

ation, which was introduced in [12], on problem of power packetization. networks. Then, packetized power is and quantized manner: a symbol is is represented with symbols sent on. d power, we refer to the work about sequences [27,28]. In this work, so over a sufficiently long time period ies are designed by prioritizing the directed acyclic graphs whose edges with their matching probability in

ew concept to represent packetized mporal correspondence. In power each symbol has its energy and poral connectedness is important in w 'strain', i.e. the spatial difference y stored in each router. Then, we rability, that is, the possibility o g the finite duration. To select an er, weighing supplied energy from energy at each link during each unit he problem is formulated as an M- lization of the minimum cost flow

n provides reasonable transmission iver with a network flow problem, rgy packet networks with queuing ly different from our problem, it is sing a specific system similar to the discuss our formulation referring to

reated as routers. Thus, power is discussed

single symbol. The proposition that symbols do in terms of redundancy of the system.

1

power packet transferability via symbol propagation matrix. Proc. R. Soc. A 474: 20170552.

et distribution network: 618–626. (doi:10.1109/

aching with second-order 02/csa.2103) with predictive dynamic Electron. 63, 7653–7661.

manipulator fed by power

of energy representation 92. power packetization. PhD y, pp. 47–61. power by density of power an.999.A.2581) and dynamics in network. Canada, 21–26 August, pp.

work (OEN) to realize age. Power Del., Singapore, 143–150. (doi:10.1541/

9/07, 9 October.

z K. 2008 An architecture Energy 2030 Conf., Atlanta,

tern for the cloud. In Proc. New York, NY: ACM.

ition controlled-delivery of Vancomer, Canada, 21–24

Dougal R. 2012 Design ions. In Proc. IEEE Energy asaway, NJ: IEEE.

F. Kimoto T, Hikihara T. temperatures. IEEE Trans.

survey of wide bandgap 2155–2163. (doi:10.1109/

cult for a normally-on SiC ppl., Barcelona, Spain, 8–10

T. 2015 High-speed gate res 12, 1–8. (doi:10.1587/

ies for pedestrian motion t, 29 September–2 October,

motion from correlated doi:10.1016/j.jpawec.2012.

r processors with energy ility, Madrid, Spain, 14–15

5

6

7

power packet transferability via symbol propagation matrix. Proc. R. Soc. A 474: 20170552.

(参考) この論文の内容について興味のある方は以下をどうぞ

- 使い方の妙でパワエレ分野の低コスト化に効く技術が続々（日経XTECH）
 - GaN/SiCの実用化が後押し電力パケットで電源をデジタル化 <https://xtech.nikkei.com/atcl/nxt/mag/ne/18/00007/00128/?P=6>

JPCOARイベント運営作業部会

7

②論文とはどのようなものか

PROCEEDINGS A

rspa.royalsocietypublishing.org

Research



Cite this article: Nawata S, Maki A, Hikiyara T. 2018 Power packet transferability via symbol propagation matrix. *Proc. R. Soc. A* **474**: 20170552.
<http://dx.doi.org/10.1098/rspa.2017.0552>

Received: 21 August 2017

Accepted: 17 April 2018

Subject Areas:

electrical engineering, applied mathematics, systems theory

Keywords:

power packet, router, network flow problem, electrical energy network

Author for correspondence:

Shinya Nawata

e-mail: nawata@dove.kuee.kyoto-u.ac.jp

Power packet transferability via symbol propagation matrix

Shinya Nawata¹, Atsuto Maki² and Takashi Hikiyara¹

¹Department of Electrical Engineering, Kyoto University, Katsura, Nishikyo, Kyoto 615-8510, Japan

²School of Electrical Engineering and Computer Science, Royal Institute of Technology (KTH), Teknikringen 14, 100 44 Stockholm, Sweden

SN, 0000-0003-0421-4519

A power packet is a unit of electric power composed of a power pulse and an information tag. In Shannon's information theory, messages are represented by symbol sequences in a digitized manner. Referring to this formulation, we define symbols in power packetization as a minimum unit of power transferred by a tagged pulse. Here, power is digitized and quantized. In this paper, we consider packetized power in networks for a finite duration, giving symbols and their energies to the networks. A network structure is defined using a graph whose nodes represent routers, sources and destinations. First, we introduce the concept of a symbol propagation matrix (SPM) in which symbols are transferred at links during unit times. Packetized power is described as a network flow in a spatio-temporal structure. Then, we study the problem of selecting an SPM in terms of transferability, that is, the possibility to represent given energies at sources and destinations during

②論文とはどのようなものか

雑誌の名前

PROCEEDINGS A

rspa.royalsocietypublishing.org

Research



Cite this article: Nawata S, Maki A, Hikiyara T. 2018 Power packet transferability via symbol propagation matrix. *Proc. R. Soc. A* **474**: 20170552.

<http://dx.doi.org/10.1098/rspa.2017.0552>

Received: 21 August 2017

Accepted: 17 April 2018

Subject Areas:

electrical engineering, applied mathematics, systems theory

Keywords:

power packet, router, network flow problem, electrical energy network

Author for correspondence:

Shinya Nawata

e-mail: nawata@dove.kuee.kyoto-u.ac.jp

この論文を表す
記号「DOI」

掲載までの経緯

2017.8.21に投稿され、査読を経て、2018.4.17に受理が決定した

照会等の窓口となる著者

この論文の題名

Power packet transferability via symbol propagation matrix

Shinya Nawata¹, Atsuto Maki² and Takashi Hikiyara¹

¹Department of Electrical Engineering, Kyoto University, Katsura, Nishikyo, Kyoto 615-8510, Japan

²School of Electrical Engineering and Computer Science, Royal Institute of Technology (KTH), Teknikringen 14, 100 44 Stockholm, Sweden

SN, 0000-0003-0421-4519

A power packet is a unit of electric power composed of a power pulse and an information tag. In Shannon's information theory, messages are represented by symbol sequences in a digitized manner. Referring to this formulation, we define symbols in power packetization as a minimum unit of power transferred by a tagged pulse. Here, power is digitized and quantized. In this paper, we consider packetized power in networks for a finite duration, giving symbols and their energies to the networks. A network structure is defined using a graph whose nodes represent routers, sources and destinations. First, we introduce the concept of a symbol propagation matrix (SPM) in which symbols are transferred at links during unit times. Packetized power is described as a network flow in a spatio-temporal structure. Then, we study the problem of selecting an SPM in terms of transferability, that is, the possibility to represent given energies at sources and destinations during

この論文の著者

自然科学分野では複数名の共著であることが多い

著者の所属

この例では1に所属する著者が2名、2が1名

著者を表す記号
「ORCID」

この例は筆頭著者の縄田信哉先生のもの

②論文とはどのようなものか




Figure 1. A schematic of power packet dispatching network. (Online version in colour.)

thermodynamics [2]. Here, energy flow is handled in a continuous manner under the conservation of energy. On the other hand, it is shown in Shannon's information theory [3] that 'all technical communications are essentially digital; more precisely, that all technical communications are equivalent to the generation, transmission and reception, of random binary digits' [4]. Communication networks have been developed in a digitized manner by using packet switching, which breaks messages into smaller pieces named 'packets', for dynamic assignment of network resources [5]. If we handle electric power in a digitized manner, power distribution will be changed completely different from the conventional. In this paper, we consider electrical energy networks in a digitized manner.

- 科学の発展＝先人の業績を踏まえ、新たな知見を積み足す
 - 参考とした先行研究に対しては引用という形で礼を尽くす
 - 多く引用された研究論文は、後続研究に大きな影響を与えたものと評価される

(参考) 掲載した論文が多く引用されると、その雑誌自体の評価が上がる
(それを数値化したものとして「インパクトファクター」がある)

2

royalsocietypublishing.org Proc. R. Soc. A 474: 20170552

Data accessibility. This work does not have any experimental data. All computational results were obtained with the cycle-cancelling algorithm [29].

Authors' contributions. The concept of SPM was conceived by S.N. and A.M. The network flow problem was formulated and numerically simulated by S.N. T.H. designed the power packet network and initiated the study. The paper was drafted by S.N. and carefully revised by all the authors. All authors gave final approval for publication.

Competing interests. We declare we have no competing interests.

Funding. Parts of this work were financially supported by the Cross-Ministerial Strategic Innovation Program from the New Energy and Industrial Technology Development Organization, Japan, and by the Super Cluster Program (Kyoto) from the Japan Science and Technology Agency. The work of the author (S.N.) was financially supported, in part, by Kyoto University.

Acknowledgements. The author (S.N.) thanks the current and former members of the Robotics, Perception and Learning Laboratory of the Royal Institute of Technology (KTH) for fruitful discussions. The authors acknowledge three anonymous referees for their helpful comments on the initial draft.


References

- Desoer CA, Kuh ES. 1969 *Basic circuit theory*, ch. 9. New York, NY: McGraw-Hill.
- Oster G, Perelson A, Katchalsky A. 1971 Network thermodynamics. *Nature* **234**, 393–399. (doi:10.1038/234393a0)
- Shannon CE. 1948 A mathematical theory of communication. *Bell Syst. Tech. J.* **27**, 379–423 and 623–656. (doi:10.1002/j.1538-7305.1948.tb01338.x)
- Massey WJ. 1984 Information theory: the copernican system of communications. *IEEE Commun. Mag.* **22**, 26–28. (doi:10.1109/MCOM.1984.1091871)
- Early history of the Internet [history of communications]. *IEEE Commun. Mag.* **48**, 10.1109/MCOM.2010.5534584
- M, Hikiyama T. 2010 In-home power distribution systems by circuit breaker packet dispatching. In *Proc. 1st IEEE Int. Conf. Smart Grid Commun.*, 6 October, pp. 427–430. Piscataway, NJ: IEEE.
- T, Hikiyama T. 2012 Estimation of power transfer properties on channel. *Energies* **5**, 2141–

引用された文献

③オープンアクセスとはどういうことか

論文が学術雑誌に掲載されるまで




③オープンアクセスとはどういうことか

学術情報の流通不全から オープンアクセス思潮へ

- 世界の拡大、人口の増加、産業の発達、科学の拡大、生まれる科学的知見の増大
- 論文数の増加、学術雑誌の増加
- 情報流通のコストは増えるが、それを支えるべき大学の購買力には限度あり


学術雑誌に論文発表したら、それを自分でもウェブで公開することにしよう

無料で公開される学術雑誌に論文発表することにしよう



③オープンアクセスとはどういうことか

プレプリントサーバ
(誰でも読める)



学術雑誌



機関リポジトリ
(誰でも読める)



学術雑誌に発表する論文
を自分でもウェブで公開

学術雑誌に発表した論文
を自分でもウェブ公開

Nawata S, Maki A, Hikihara T. (2018)
Power packet transferability via symbol propagation matrix.

これで本講は終わります。